

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A system for access to multimedia files (FM) through a telecommunication network (RA1, RA2, RP) from a mobile radiotelephone terminal (T1) for which are intended messages (MT2), each message including an address (AT1) of thesaid mobile terminal and a multimedia file (FM) transmitted by second terminals (T2), thesaid system including a web-server (SW) for detecting a multimedia file (FM) in a message (MT2) transmitted by thesaid second terminal in order to extract therefrom thesaid address (AT1) of thesaid mobile terminal and the detected multimedia file (FM), to store thesaid multimedia file (FM) extracted from thesaid message in storage spacemeans (SSM), and notification means (SN) for transmitting a multimedia file storage notification (NSFM) to thesaid mobile terminal (T1) identified by thesaid address (AT1) extracted from thesaid message (MT2),

~~characterized in that the storage means is a~~ said storage space (SSM) ~~that is being~~ assigned to ~~the~~ a user of thesaid mobile terminal (T1) and ~~being~~ is accessible to thesaid mobile terminal (T1) through thesaid server (SW) in order for thesaid multimedia file (FM) extracted from thesaid message (MT2) to be stored in said storage means therein in corresponding relationship with thesaid address (AT1) of thesaid mobile terminal extracted from thesaid message, and

~~in that~~ thesaid mobile terminal accesses the stored multimedia file only if thesaid server (SW) has recognized thesaid address (AT1) of thesaid mobile terminal supplied (24) after the setting up (22, 23) of a connection between thesaid mobile terminal and thesaid server (SW).

2. (Currently amended) A system according to claim 1, wherein thesaid storage space is divided into a private zone (ZPR) for storing multimedia files accessible only to thesaid user of thesaid mobile terminal (T1) and a public zone (ZPU) for storing multimedia files accessible to a user of second terminal (T2), ~~preferably after validation of a password (MP) transmitted by the second terminal.~~

3. (Currently amended) A system according to claim 2, wherein the detected multimedia file (FM) extracted from ~~the~~the said message (MT2) is transferred from ~~the~~the said public zone (ZPU) to ~~the~~the said private zone (ZPR).

4. (Currently amended) A system according to ~~any one of~~ claims 1 to 3, wherein ~~the~~the said web-server (SW) ~~validates~~ is arranged for validating a password (MP) transmitted by ~~the~~the said second terminal (T2) before the transmission of ~~the~~the said message (MT2) by ~~the~~the said second terminal before detecting a multimedia file (FM) in ~~the~~the said message.

5. (Currently amended) A method ~~for~~ of access to multimedia files (FM) through a telecommunication network (~~RA1, RA2, RP~~) from a mobile radiotelephone terminal (T1) for which are intended messages (~~MT2~~), each message including an address (AT1) of ~~the~~the said mobile terminal and a multimedia file (FM) transmitted by second terminals (~~T2~~), ~~the~~the said method including through ~~the~~the said telecommunication network the steps of:

- detecting (~~11, 12~~) a multimedia file (FM) in a message (MT2) transmitted by ~~the~~the said second terminal (T2) in order to extract therefrom ~~the~~the said address (AT1) of ~~the~~the said mobile terminal and the detected multimedia file (~~FM~~),
- storing (~~14, 15~~) ~~the~~the said multimedia file (FM) extracted from ~~the~~the said message, and
- notifying (~~17~~) multimedia file storage by a notification (NSFM) including the identity (ID2) of ~~the~~ second terminal (T2), ~~the~~ notification being transmitted to ~~the~~the said mobile terminal (T1) identified by ~~the~~the said address (AT1) extracted from ~~the~~the said message, and

~~characterized by an assignment of~~ a storage space (SSM) accessible to ~~the~~the said mobile terminal (T1) through ~~the~~the said telecommunication network in order for ~~the~~the said multimedia file (FM) extracted from ~~the~~the said message (MT2) to be stored therein in corresponding relationship with ~~the~~the said address (AT1) of ~~the~~the said mobile terminal extracted from ~~the~~the said message, and ~~the~~the said mobile terminal to accesses the stored multimedia file only if ~~the~~the said address (AT1) of ~~the~~the said mobile terminal supplied (~~24~~) after the setting up (~~22, 23~~) of a connection with ~~the~~the said mobile terminal is recognized.

6. (Currently amended) A method according to claim 5, including ~~the~~an evaluation (12) of the size of ~~the~~said multimedia file (FM) detected in ~~the~~said message (MT2) in order for ~~the~~said notification (NSFM) to be sent, ~~the~~said multimedia file being included ~~therein~~in said notification if ~~the~~said size thereof of said multimedia file is less than ~~the~~a minimum size (TM).

7. (Currently amended) A method according to claim 5 ~~or~~ 6, including access to ~~the~~said multimedia file (FM) by means of ~~the~~said mobile terminal (T1), said multimedia file (FM) being stored in corresponding relationship with the extracted address (AT1) in ~~the~~said storage space (SSM, ZPU, ZPR) assigned to ~~the~~said mobile terminal, via a server (SW) through a radiotelephone network (RA1) to which ~~the~~said mobile terminal belongs if ~~the~~said mobile terminal (T1) is not detected (22) by a station (BO) having a short-range connection (LP) with ~~the~~said mobile terminal, and through ~~the~~said station (BO) if ~~the~~said mobile terminal (T1) is detected (23) by ~~the~~said station.

8. (Currently amended) A method according to ~~any one of claims~~ claim 5 to 7, including access to ~~the~~said multimedia file (FM) by ~~the~~said mobile terminal (T1), said multimedia file (FM) being stored in corresponding relationship with the extracted address (AT1) in ~~the~~said storage space (SSM, ZPU, ZPR) assigned to ~~the~~said mobile terminal, via a server (SW) through a radiotelephone network (RA1) to which ~~the~~said mobile terminal belongs if (31, 32, 33) ~~the~~said mobile terminal (T1) is not detected by a station (BO) having a short-range connection (LP) with ~~the~~said mobile terminal and ~~the~~a user of ~~the~~said mobile terminal decides on immediate connection of ~~the~~said mobile terminal to ~~the~~said radiotelephone network, and through ~~the~~said station (BO) if (31, 36; 31, 32, 34, 35, 36) ~~the~~said mobile terminal (T1) is detected by ~~the~~said station, including when ~~the~~said user refuses said immediate connection.

9. (Currently amended) A method according to claim 5, wherein ~~the~~a user accesses ~~the~~said storage space (SSM, ZPU, ZPR) that is assigned to him to consult and delete multimedia files in ~~the~~said storage space from any terminal including ~~the~~said mobile terminal (T1).

10. (Currently amended) A method according to claim 7, ~~wherein~~ characterized in that, if ~~the~~said message (MT2) includes a text block, said notification further includes said text block.

11. (Currently amended) A server for access to multimedia files (FM) ~~through a telecommunication network (RA1, RA2, RP) from a mobile radiotelephone terminal (T1) for which are intended messages (MT2) each including an address (AT1) of the~~said mobile terminal and a multimedia file (FM) transmitted by second terminals (T2), said server (SW) being adapted to detect a multimedia file (FM) in a message (MT2) transmitted by ~~the~~said second terminal in order to extract therefrom ~~the~~said address (AT1) of ~~the~~said mobile terminal, and the detected multimedia file (FM), to store ~~the~~said multimedia file (FM) extracted from ~~the~~said message in storage ~~space~~means (SSM), said server being adapted to notify (17) multimedia file storage by a notification (NSFM) to ~~the~~said mobile terminal (T1) identified by ~~the~~said address (AT1),

~~characterized in that said storage means is a~~said storage space (SSM) that is assigned to ~~the a~~ user of ~~the~~said mobile terminal (T1) and that is accessible to ~~the~~said mobile terminal (T1) through ~~the~~said server (SW) in order for ~~the~~said multimedia file (FM) extracted from ~~the~~said message (MT2) to be stored therein in corresponding relationship with ~~the~~said address (AT1) of ~~the~~said mobile terminal extracted from ~~the~~said message, ~~the~~said mobile terminal accessing ~~the~~said stored multimedia file only if ~~the~~said server (SW) has recognized ~~the~~said address (AT1) of ~~the~~said mobile terminal supplied (24) after the setting up (22, 23) of a connection between ~~the~~said mobile terminal and ~~the~~said server.

12. (Currently amended) A server according to claim 11, ~~characterized in that the~~wherein ~~said~~ storage space is divided into a private zone (ZPR) for storing multimedia files accessible only to ~~the~~said user of ~~the~~said mobile terminal (T1) and a public zone (ZPU) for storing multimedia files accessible to a user of second terminal (T2).

13. (Currently amended) A server according to claim 11 ~~or 12, characterized in that it includes~~ further including means for evaluating (12) the size of ~~the~~said multimedia file (FM)

detected in ~~the~~thesaid message (MT2)-in order for ~~the~~thesaid notification (NSFM)-to be sent, ~~the~~thesaid multimedia file being included therein if ~~the~~thesaid size thereof is less than ~~the~~a minimum size (FM).

14. (Currently amended) A computer readable medium or storage device including a computer program adapted to be implemented in a storage server adapted to store multimedia files (FM)-accessible through a telecommunication network (RA1, RA2, RP)-from a mobile radiotelephone terminal (T1)-for which are intended messages (MT2)-each including an address (AT1)-of ~~the~~thesaid mobile terminal and a multimedia file (FM)-transmitted by second terminals (T2), said program including program instructions which, when ~~the~~thesaid program is executed in said server, carry out the following steps:

- detecting (11, 12)-a multimedia file (FM)-in a message (MT2)-transmitted by ~~the~~thesaid second terminal (T2)-in order to extract therefrom ~~the~~thesaid address (AT1)-of ~~the~~thesaid mobile terminal and the detected multimedia file-(FM),
- storing (14, 15)-~~the~~thesaid multimedia file (FM)-extracted from ~~the~~thesaid message,
- notifying (17)-multimedia file storage by a notification (NSFM)-including ~~the~~the identity (ID2)-of ~~the~~the second terminal (T2)-and-transmitted to ~~the~~thesaid mobile terminal (T1)-identified by ~~the~~thesaid address-(AT1), and
- access ~~the~~thesaid stored multimedia file only if ~~the~~thesaid web-server (SW)-has recognized ~~the~~thesaid address (AT1)-of ~~the~~thesaid mobile terminal supplied (24)-after the setting up (22, 23)-of a connection between ~~the~~thesaid mobile terminal and ~~the~~thesaid web-server.

15. (New) A method according to claim 6, including access to said multimedia file by means of said mobile terminal, said multimedia file being stored in corresponding relationship with the extracted address in said storage space assigned to said mobile terminal, via a server through a radiotelephone network to which said mobile terminal belongs if said mobile terminal is not detected by a station having a short-range connection with said mobile terminal, and through said station if said mobile terminal is detected by said station.

16. (New) A method according to claim 6, including access to said multimedia file by said mobile terminal, said multimedia file being stored in corresponding relationship with the extracted address in said storage space assigned to said mobile terminal, via a server through a radiotelephone network to which said mobile terminal belongs if said mobile terminal is not detected by a station having a short-range connection with said mobile terminal and a user of said mobile terminal decides on immediate connection of said mobile terminal to said radiotelephone network, and through said station if said mobile terminal is detected by said station, including when said user refuses said immediate connection.

17. (New) A method according to claim 7, including access to said multimedia file by said mobile terminal, said multimedia file being stored in corresponding relationship with the extracted address in said storage space assigned to said mobile terminal, via a server through a radiotelephone network to which said mobile terminal belongs if said mobile terminal is not detected by a station having a short-range connection with said mobile terminal and a user of said mobile terminal decides on immediate connection of said mobile terminal to said radiotelephone network, and through said station if said mobile terminal is detected by said station, including when said user refuses said immediate connection.

18. (New) A server according to claim 12, further including means for evaluating the size of said multimedia file detected in said message in order for said notification to be sent, said multimedia file being included therein if said size thereof is less than a minimum size.